

ASTRA DISP 606

Dispersant

Description

ASTRA DISP 606 is a low molecular weight wetting and dispersing agent. It is suitable for various pigments and fillers, particularly for inorganic pigments. It could decrease the viscosity of the system, improve the fluidity and shorten the grinding stage time.

Physical and Chemical properties

Ingredient: Low molecular compound

Appearance: Yellow transparent liquid

Active part: 100%

Speciality

1. ASTRA DISP 606 is suitable for various solvent-borne systems. It could improve wetting and dispersing of inorganic pigments and fillers.
2. ASTRA DISP 606 is suitable for unsaturated polyester systems. It has no negative influence on the drying speed.

Application System and Dosage

ASTRA DISP 606 is recommended for solvent-borne coating systems.

Usually, the additive should be introduced before the grinding stage during the manufacture with 1 - 5% dosage upon inorganic pigments.

Package

25kg metal pail.

The information herein is based on our present knowledge and experience. The information merely describes the properties of our products but no guarantee of properties in the legal sense shall be implied. We recommend testing our products as to their suitability for your envisaged purpose prior to use. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties. We reserve the right to make any changes according to technological progress or further developments.

