

## ASTRA LA 4401

Leveling agent

### Description

ASTRA LA 4401 is a polyether modified polysiloxane. It has excellent compatibility with most of common resins and has no negative influence on recoatability. It could provide excellent leveling and low foam stabilization in solvent-borne systems. ASTRA LA 4401 is particularly suitable for epoxy floor coatings.

### Physical and Chemical properties

**Ingredient:** Polyether modified polysiloxane  
**Appearance:** Yellow viscous transparent liquid  
**Active part:** 100%

### Speciality

Leveling	Wetting	Recoatability	Compatibility	Sliding	Low Foam Stabilization	Anti-craters	Anti-blocking
●●●●	●●●	●●●●	●●●●	●●	●●●	●●●●	●●

●●●● Good ● Bad

### Application System and Dosage

ASTRA LA 4401 is suitable for solvent-borne, water-borne and UV curable coatings.

The recommended dosage of the additive is around 0.1 - 1% upon total formulation. It could be introduced at a random stage during the manufacture.

### Package

25kg metal pail.

The information herein is based on our present knowledge and experience. The information merely describes the properties of our products but no guarantee of properties in the legal sense shall be implied. We recommend testing our products as to their suitability for your envisaged purpose prior to use. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties. We reserve the right to make any changes according to technological progress or further developments.

