

+86 0571 555 3535 Qian Tan Cheng Dong, Jiande, Hangzhou, Zhejiang Province

astra-chemical.com info@astra-chemical.com

ASTRA REACT 702

Reactive silicone

Description

ASTRA REACT 702 is a hydroxyalkyl terminated organosilicone compound that has highly reactive terminal -CH2OH functional groups. The reactivity of this group is higher than reactivity of -Si-OH group. ASTRA REACT 702 could react with isocyanates, and could introduce properties of polysiloxanes to the polyurethane materials: improve flexibility, improve water and weather resistance, improve the smoothness and so on.

$$\begin{array}{c|c} & & & & \\ & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & &$$

Physical and Chemical properties

Ingredient: Polyether and hydroxyalkyl terminated polysiloxane copolymer (Mn \approx 2000)

Appearance: Light yellow transparent liquid

Active part: 100%

Application System and Dosage

ASTRA REACT 702 is suitable for any crosslinking system that reacts via -OH groups, such as polyurethanes, amino systems and others.

The recommended dosage of the additive is around 0.1-10% upon total formulation in terms of different applications.

Package

25kg metal pail.

The information herein is based on our present knowledge and experience. The information merely describes the properties of our products but no guarantee of properties in the legal sense shall be implied. We recommend testing our products as to their suitability for your envisaged purpose prior to use. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties. We reserve the right to make any changes according to technological progress or further developments.

