

+86 0571 555 3535 Qian Tan Cheng Dong, Jiande, Hangzhou, Zhejiang Province astra-chemical.com

info@astra-chemical.com

ASTRA REO 9010

Rheology Modifier

Description

ASTRA REO 9010 is a water-borne polymer with hydrophobic group used as an anti-setting and anti-sagging agent. It has strong rheology and is easy to introduce. The additive is suitable for all kinds of water-borne systems.

Physical and Chemical properties

Ingredient: Water-borne polymer with hydrophobic group

Appearance: Light yellow transparent solution

Active part: 25% Solvent: Water / BCS

Specialty

- 1. ASTRA REO 9010 is suitable for water-borne varnish systems. It could rapidly increase the viscosity and provide great anti-setting and anti-sagging properties.
- 2. ASTRA REO 9010 could be used in a wide range of pH.

Application System and Dosage

ASTRA REO 9010 is used in all water-borne industrial coating systems.

The recommended dosage of the additive is amount is around 0.5 - 2.0% upon total formulation when used as an anti-setting agent and 2.0 - 5.0% when used as an anti-sagging agent. ASTRA REO 9010 should be introduced at the last stage of manufacture.

Package

25kg metal pail.

The information herein is based on our present knowledge and experience. The information merely describes the properties of our products but no guarantee of properties in the legal sense shall be implied. We recommend testing our products as to their suitability for your envisaged purpose prior to use. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties. We reserve the right to make any changes according to technological progress or further developments.

