

ASTRA WA 1103

Wetting agent

Description

ASTRA WA 1103 is a polyether modified organosilicon compound. It can greatly decrease the surface tension and provide strong wetting effect without any influence on the recoatability. ASTRA WA 1103 is an excellent substrate wetting and flattening agent with great hydrolysis resistance. It is suitable for water-borne wood lacquers, printing inks and radiation curable systems.

Physical and Chemical properties

Ingredient: Polyether modified silicone

Appearance: Light yellow transparent liquid

Active part: 50%

Solvent: Dipropylene glycol monomethyl ether

Specialty

Leveling	Wetting	Recoatability	Compatibility	Sliding	Low Foam Stabilization	Anti-craters	Anti-blocking
●●●●●	●●●●●	●●●●●	●●●●●	●	●●	●●●●●	●

●●●●● Good ● Bad

Application System and Dosage

ASTRA WA 1103 is suitable for water-borne wood paints, industry water-borne coating systems, UV curable coating systems and printing inks.

The amount is in terms of the different application system, around 0.1-1% upon total formulation. ASTRA WA 1103 can be introduced at the random stage of manufacture.

Package

25kg metal pail.

The information herein is based on our present knowledge and experience. The information merely describes the properties of our products but no guarantee of properties in the legal sense shall be implied. We recommend testing our products as to their suitability for your envisaged purpose prior to use. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties. We reserve the right to make any changes according to technological progress or further developments.

